## PLEVY, HOWARD & DARCY, PC

Post Office Box 226 Fort Washington, PA 19034 Tel: 215-542-5824 Fax: 215-542-5825 COJC #190

April 6, 2006

Commissioner for Patents
Certificate of Corrections Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate

APR 1 4 2006

of Correction

Re:

U.S. Patent No. 5,630,989

Issued: May 20, 1997

For: "Apparatus For Trimless Sample Cup Used

In X-Ray Spectroscopy"
Our File: Chemplex-3-C

Dear Sir:

Enclosed please find a Certificate of Correction for filing in connection with the above-captioned matter.

We are also enclosing our check in the amount of \$100.00 for filing of the Certificate of Correction.

The Commissioner is hereby authorized to charge any additional fees or credit any overpayments to Deposit Account No. 50-3208.

Respectfully submitted,

Robert E. Rosenthal Reg. No. 33,450

Attorney for Patentee

RER/ems Enclosure

04/12/2006 SFELEKE1 00000027 5630989

01 FC:1811

100.00 OP

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.: 5,630,989

DATED

: May 20, 1997

INVENTOR(S): Monte J. Solazzi

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Change the first paragraph of the specification from DELETE

"This is a continuation of application Ser. No. 08/440,644, filed on May 15, 1995, entitled METHOD AND APPARATUS FOR TRIMLESS SAMPLE CUP USED IN X-RAY SPECTROSCOPY now abandoned which is a Continuation-in-part of prior application Ser. No. 08/292,058, filed on Aug. 17, 1994, now 5,451,375, issued Sep. 19, 1995."

-- This is a continuation of application Ser. No. 08/440,644, filed on May 15, 1995, entitled METHOD AND APPARATUS FOR TRIMLESS SAMPLE CUP USED IN X-RAY SPECTROSCOPY now abandoned which is a continuation of prior application Ser. No. 08/292,058, filed on Aug. 17, 1994, now 5,451,375, issued Sep. 19, 1995, which is a continuation of Application No. 08/010,555, filed on Jan. 28, 1993, now abandoned.-

MAILING ADDRESS OF SENDER (Please do not use customer number

PATENT NO. 5,630,989

Plevy, Howard & Darcy, PC P.O. Box 226 Fort Washington, PA 19034

No. of additional copies

APR 18 2006